

KONICA® HEXANON LENSES FOR THE AUTOREFLEX-T AND AUTO-REFLEX

There is a full range of bayonet-mount Hexanon lenses for the Konica Autoreflex-T. Auto Hexanons from 21mm to 200mm have automatic diaphragms, with an "EE" setting that engages the Autoreflex-T's through-the-lens electric-eye transfer system for automatic exposure control. Preset and manual Hexanon lenses up to 2000mm and all lenses, when used with extension tubes or bellows, provide match-needle thru-the-lens metering.

Each Auto Hexanon lens automatically shows its maximum aperture in the viewfinder of the Autoreflex-T. Auto Hexanon lenses designed for the Konica Auto-Reflex can easily be converted by dealers for use with the Konica Autoreflex-T.

Konica Autoreflex-T lenses may be used without modification on the Konica Auto-Reflex.

All lenses, except 52 and 57 mm, include lens hoods and cases.

CHANGES IN FIELD OF VIEW

21mm



28mm




35mm



52mm



85mm



100mm



135mm



200mm



400mm



800mm



1000mm



2000mm



KONICA CAMERA CORPORATION

25-20 Brooklyn-Queens Expressway West, Woodside, N. Y. 11377, Tel.: (212) 932-4040

A DIVISION OF
Berkey
Photo Inc. 

EXCLUSIVE 'EE' SETTING


The essential difference between the Auto-Reflex lenses and all other lenses is the 'EE' setting. At this setting, the camera operates fully automatically, transferring its light reading to the lens aperture, requiring no match-needle or other manual settings.



HEXANON AR

21mm f/4
7-group, 11-element


Viewing angle: 90°
Minimum focus: 8 inches
Aperture: f/4 to 16
Filter: 77mm screw-in
Weight: 12 ozs.
Cat. No. 703-131 \$249.95



HEXANON AR

28mm f/3.5
7-group, 7-element


Viewing angle: 75°
Minimum focus: 12 inches
Aperture: f/3.5 to 16
Filter: 55mm screw-in
Weight: 7 ozs.
Cat. No. 703-128 \$139.95



HEXANON ARP

28mm f/3.5
6-group, 7-element


Viewing angle: 73°
Minimum focus: 12 inches
Aperture: f/3.5 to 22
Filter: 58mm screw-in
Weight: 9½ ozs.
Cat. No. 703-129 \$99.95



HEXANON AR

35mm f/2.8
5-group, 6-element


Viewing angle: 63°
Minimum focus: 12 inches
Aperture: f/2.8 to 16
Filter: 55mm screw-in
Weight: 8½ ozs.
Cat. No. 703-132 \$129.95



HEXANON ARP

35mm f/2.8
5-group, 6-element


Viewing angle: 63°
Minimum focus: 12 inches
Aperture: f/2.8 to 22
Filter: 55mm screw-in
Weight: 8½ ozs.
Cat. No. 703-133 \$89.95



HEXANON AR

52mm f/1.8
5-group, 6-element


Viewing angle: 45°
Minimum focus: 20 inches
Aperture: f/1.8 to 16
Filter: 55mm screw-in
Lens shade: 55mm screw-in
Weight: 7½ ozs.
Cat. No. 703-146 \$79.95



HEXANON AR

57mm f/1.4
5-group, 6-element


Viewing angle: 42°
Minimum focus: 18 inches
Aperture: f/1.4 to 16
Filter: 55mm screw-in
Lens shade: 55mm screw-in
Weight: 10 ozs.
Cat. No. 703-147 \$119.95



HEXANON AR

57mm f/1.2
6-group, 7-element


Viewing angle: 41.5°
Minimum focus: 18 inches
Aperture: f/1.2 to 16
Filter: 62mm screw-in
Lens shade: 62mm screw-in
Weight: 14 ozs.
Cat. No. 703-148 \$189.95



HEXANON AR

85mm f/1.8
5-group, 6-element


Viewing angle: 28.5°
Minimum focus: 3 ft.
Aperture: f/1.8 to 16
Filter: 58mm screw-in
Weight: 15 ozs.
Cat. No. 703-114 \$149.95



HEXANON AR

100mm f/2.8
4-group, 5-element


Viewing angle: 24°
Minimum focus: 3 ft.
Aperture: f/2.8 to 16
Filter: 55mm screw-in
Weight: 11 ozs.
Cat. No. 703-115 \$129.95



HEXANON AR


135mm f/3.5
4-group, 4-element

Viewing angle: 18°
Minimum focus: 5 ft.
Aperture: f/3.5 to 16
Filter: 55mm screw-in
Weight: 13 ozs.
Cat. No. 703-134 \$139.95







HEXANON ARP
 135mm f/3.5
 4-group, 4-elements
 Viewing angle: 18°
 Minimum focus: 5 ft.
 Aperture: f/3.5 to 22
 Filter: 55mm screw-in
 Weight: 13 ozs.
 Cat. No. 703-135 \$99.95




HEXANON AR
 200mm f/3.5
 4-group, 5-element
 Viewing angle: 12°
 Minimum focus: 8 ft.
 Aperture: f/3.5 to 16
 Filter: 67mm screw-in
 Weight: 30 ozs.
 Cat. No. 703-143 \$199.95




HEXANON ARP
 200mm f/3.5
 5-group, 5-element
 Viewing angle: 12°
 Minimum focus: 8 ft.
 Aperture: f/3.5 to 22
 Filter: 67mm screw-in
 Weight: 30½ ozs.
 Cat. No. 703-136 \$159.50




HEXANON ARP
 200mm f/5.6
 4-group, 6-element
 Viewing angle: 12°
 Minimum focus: 8 ft.
 Aperture: f/5.6 to 22
 Filter: 46mm screw-in
 Weight: 11¾ ozs.
 Cat. No. 703-150 \$129.95




HEXANON ARM
 400mm f/4.5
 4-group, 4-element
 Viewing angle: 6°
 Minimum focus: 25 ft.
 Aperture: f/4.5 to 32
 Filter: 55mm behind-lens
 Weight: 5 lbs. 10 ozs.
 Cat. No. 703-137 \$399.50




HEXANON ARM
 800mm f/8
 1-group, 2-element
 Viewing angle: 3°
 Minimum focus: 65 ft.
 Aperture: f/8 to 45
 Folding sight
 Filter: 55mm behind-lens
 Weight: 12 lbs. 6 ozs.
 Cat. No. 703-138 \$620.00




REFLEX HEXANON ARM
 1000mm f/8
 6-group, 7-element
 Viewing angle: 2.5°
 Minimum focus: 80 ft.
 Aperture: f/8 to 22
 Folding sight
 Filter: 55mm behind-lens
 Weight: 18 lbs. 12 ozs.
 Cat. No. 703-141 \$999.50




REFLEX HEXANON ARM
 2000mm f/11
 8-group, 9-element
 Viewing angle: 1°
 Minimum focus: 125 ft.
 Aperture: f/11 to 32
 Folding sight
 Filter: 55mm behind-lens
 Weight: 40 lbs.
 Cat. No. 703-149
 Price—(on request)




HEXANON ZOOM ARM
 58-400mm f/4
 9-group, 14-element
 Viewing angle: 41°-6°
 Minimum focus: 16 ft.
 Aperture: f/4 to 32
 Filter: 55mm behind-lens
 Weight: 9 lbs. 8 ozs.
 Cat. No. 703-139
 Price—(on request)




HEXANON ZOOM ARP
 70-230mm f/4.5
 8-group, 13-element
 Viewing angle: 32°-11°
 Minimum focus: 8 ft.
 Aperture: f/4.5 to 22
 Filter: 67mm screw-in
 Weight: 2 lbs. 12 ozs.
 Cat. No. 703-145 \$199.95



HEXANON ZOOM AR
 80-200mm f/3.5
 10-group, 17-element
 Viewing angle: 30°-12°
 Minimum focus: 6 ft.
 Aperture: f/3.5 to 16
 Filter: 67mm screw-in
 Weight: 2 lbs. 8 ozs.
 Cat. No. 703-144 \$289.95



ACCESSORIES FOR KONICA AUTOREFLEX-T AND AUTO-REFLEX



EXTENSION RING SET II

Close-up accessory for all lenses, used individually or in any combination of three rings, for close-ups to 1:1. Recommended for use with #705-136 Auto Ring.


#705-126 \$29.95



EXTENSION BELLOWS II

High-quality, single rail bellows for extreme close-ups with standard and medium long focus lenses. Recommended for use with #705-136 Auto Ring.

#705-127 \$39.95



EXTENSION BELLOWS IID with SLIDE COPIER & REVERSE LENS ADAPTER

Deluxe twin rail bellows, permits moving camera and lens for precise focusing and framing. Removable slide copier for same size or cropped copies.

#705-138 \$89.95



MICROSCOPE ADAPTER II

Couples camera body directly to microscope eyepiece, permitting focusing of microscope thru camera viewfinder, and exposure while observing specimens.

#705-139 \$24.95

COPY STAND with CAMERA HOLDER



Used for the effective reproduction of flat and low relief subjects. Deluxe baseboard, rigid upright with cantilevered camera arm and holder.

#705-135 \$69.95

AUTO RING AND DOUBLE CABLE RELEASE

When using bellows or extension rings, permits aperture control and exposure simultaneously, for semi-automatic operation.

#705-136 \$32.95



CABLE RELEASE

Heavy duty sheathed cable with locking device.

#705-130 \$4.95



RIGHT ANGLE FINDER II

Screws into viewfinder to permit right angle viewing and focusing. Simplifies low-level photography, copying etc. Has eyesight adjustment ring.

#705-137 \$29.95



CLOSE-UP ATTACHMENT LENSES


Permits close-up focusing without loss of automatic diaphragm function. No. 1 for 25" to 12". No. 2 for 14" to 10". No. 1 and No. 2 for 11" to 9".

No. 1 — #705-128;
No. 2 — #705-129
Either model, \$14.95

LENS MOUNT ADAPTERS

Permits semi-automatic (match needle) stop-down use with AR-T; manual use with Auto-Reflex.

#705-140 for Konicam FM, FP, FS and F lenses
#705-141 for Exakta lenses
#705-142 for Praktica/Pentax lenses
#705-146 for Nikon lenses
\$12.95 each



EYESIGHT ADJUSTMENT LENSES

Attach to camera eyepiece, permits eyeglass wearers to view and focus without glasses.

#705-131 for +1 correction
#705-132 for +2 correction
#705-133 for +3 correction
#705-134 for -2.5 correction
\$4.95 each

KONICA LENS HOODS



For standard lenses with screw-in mount. Reverses to hold lenscap and permits case to be closed.

#705-528 — for 57mm F/1.4 or 52mm F/1.8 Hexanon (55mm screw-in) \$4.95
#705-529 — for 57mm F/1.2 Hexanon (62mm screw-in) \$6.95

FILTERS

	Y2	UV	1A	85A
46mm	705-668 \$8.95	705-666 \$8.95	705-676 \$8.95	—
55mm	705-610 \$8.95	705-611 \$8.95	705-612 \$8.95	705-613 \$8.95
58mm	705-650 \$8.95	705-651 \$8.95	705-652 \$8.95	—
62mm	705-677 \$14.95	705-678 \$14.95	705-679 \$14.95	—
67mm	705-660 \$14.95	705-661 \$14.95	705-662 \$14.95	—
77mm	705-663 \$16.95	705-664 \$16.95	705-665 \$16.95	—

P27

PRINTED
IN
U.S.A.

KONICA CAMERA CORPORATION

25-20 Brooklyn-Queens Expressway West, Woodside, N. Y. 11377, Tel.: (212) 932-4040

A DIVISION OF
Berkey
Photo Inc.

All prices and specifications subject to change without notice.

10 3K-118